

High Speed Colour Duplex Scanner

# *fi-6770/A*



180 images-per-minute scanning speed  
@ 200 dpi B&W or greyscale

High speed flatbed scanning

Ultrasonic multi-feed detection

Kofax VRS® Professional included

Hardware accelerated VRS available

1 year on-site warranty

**ADOBE® ACROBAT® 8 STANDARD**



**FUJITSU**

THE POSSIBILITIES ARE INFINITE

# fi-6770



## Speedy and flatbed equipped

The 90ppm / 180ipm capable (Letter, Landscape, 200 dpi) flatbed equipped fi-6770A and fi-6770 are the fastest scanners in their class. Image processing is made easy, with the ability to continuously scan 200 sheet documents containing paper of different weights, quality and sizes. The fi-6770 and fi-6770A can even scan paper up to 3 m long enabling digitization of electrocardiograms, instrumental data readings and other long documents.

## Kofax Hardware VRS Board

The fi-6770A comes loaded with a Kofax Hardware VRS board that optimizes image quality on the most difficult of documents. By performing advanced image enhancements in the scanner rather than in the computer, a higher scanning speed is obtained – up to 180 images per minute at 200 dpi.

## "Intelligent" functions/design for efficient operation

The ability to adapt to different paper types is the key to a true batch document scanner. The fi-6770 and fi-6770A come loaded with features allowing the scanners to work autonomously.

### • Intelligent multi-feed function

The intelligent multi-feed function simplifies pre-scanning preparation and improves efficiency by identifying documents that tend to trigger false multi-feed alerts, such as documents with photos or sticky notes attached.

### • Straight paper path

The straight paper path virtually eliminates paper jams while permitting a greater diversity of paper types.

### • Dust resistant sealed optical units

The sealed optical units in the fi-6770 and fi-6770A ensure that image quality is maintained, even in the most demanding environments such as factories and warehouses.

## ScandAll PRO image capture software

The bundled ScandAll PRO image capture software supports advanced functions such as:

### • Automatic job separation

The bar code based automatic job separation function of the fi-6770 and fi-6770A allows the scanner operator to have scanned documents automatically named or routed to their appropriate folders.

### • Microsoft® Office SharePoint® Server linkability

ScandAll PRO enables these scanners to seamlessly link with Microsoft® Office SharePoint® Server.

## Ergonomic Automatic Document Feeder (ADF)

### • ADF positioning

ADF can be moved from Center position to Left position as required.

### • ADF direction

The ADF can be rotated to feed documents to the right, left or front of the scanner providing easy access for right handed and left handed users.

## Kofax VRS (VirtualReScan) Professional

The fi-6670 comes bundled with Kofax Software VRS Professional Workgroup, the fi-6670A comes bundled with Kofax Hardware VRS Professional Production.

## TECHNICAL SPECIFICATIONS

<b>Scanner type</b>		ADF (Automatic Document Feeder) / Flatbed
<b>Scanning modes</b>		Simplex / Duplex Colour / Greyscale / Monochrome
<b>Image sensor type</b>		3x colour CCDs (Charged Coupled Device)
<b>Light source</b>		6x white cold cathode discharge lamp (2x front, 2x back, 2x flatbed)
<b>Scanning range</b>	<i>ADF minimum</i>	2.0" x 3.0" (52 x 74 mm)
	<i>ADF maximum</i>	11" x 17" (279 x 431 mm) / Up to 120" (3048 mm) in long document mode <sup>9</sup>
	<i>Flatbed maximum</i>	11" x 17" (279 x 431 mm)
<b>Paper weight (ADF, thickness)</b>		Letter size or smaller: 8.3 to 55.6 lb. Over Letter size: 13.8 to 55.6 lb. Business cards: 33.8 to 55.6 lb. Supports ISO7810 (none-embossed) card feedability
<b>ADF scanning speed<sup>2</sup> (Letter)</b>	<i>Landscape</i>	90 ppm / 180 ipm (200 dpi colour <sup>3</sup> , greyscale <sup>3</sup> , or monochrome) 80 ppm / 160 ipm (300 dpi colour <sup>3</sup> , greyscale <sup>3</sup> , or monochrome) 148 ipm with Hardware VRS board (300 dpi colour <sup>3</sup> )
	<i>Portrait</i>	70 ppm / 140 ipm (200 dpi colour <sup>3</sup> , greyscale <sup>3</sup> , or monochrome) 60 ppm / 120 ipm (300 dpi colour <sup>3</sup> , greyscale <sup>3</sup> , or monochrome)
<b>Flatbed scanning speed<sup>2</sup> (Letter)</b>	<i>Landscape</i>	0.6 seconds (200 dpi) / 0.7 seconds (300 dpi)
	<i>Portrait</i>	0.9 seconds (200 dpi) / 1.1 seconds (300 dpi)
<b>ADF paper chute capacity<sup>5</sup></b>		Max. 200 sheets (Letter, 20 lb.); Active loadable ADF
<b>Background</b>	<i>ADF</i>	Black and white (auto-switching)
	<i>Flatbed</i>	White (black optional)
<b>Optical resolution</b>		600 dpi
<b>Output resolution<sup>4</sup></b>		50 to 600 dpi (adjustable by 1 dpi increments)
<b>Output format</b>	<i>Colour</i>	24 bit (8 bit and 4 bit with driver)
	<i>Greyscale</i>	8 bit (4 bit with driver)
	<i>Monochrome</i>	1 bit
<b>AD converter</b>		10 bit
<b>Drivers</b>		TWAIN and ISIS™
<b>Interfaces<sup>5-6</sup></b>	<i>fi-6770/fi-6770A</i>	Ultra SCSI / USB 2.0 (selectable)
	<i>fi-6770A only</i>	Ultra Wide SCSI / USB 2.0 (selectable)
<b>Connector shape</b>	<i>Ultra SCSI</i>	Shield type 50-pin
	<i>Ultra Wide SCSI</i>	Shield type 68-pin
	<i>USB</i>	B Type
<b>SCSI terminator</b>		Built-in
<b>Output mode (Half-tone)</b>		Dither / Error diffusion
<b>Voltage</b>		AC 100 to 240 V +/-10%, 50/60 Hz
<b>Power</b>	<i>Operating</i>	216 watts or less
	<i>Sleep mode</i>	Less than 9.1 watts
<b>Operational environment</b>	<i>Temperature</i>	5°C to 35°C (42°F to 95°F)
	<i>Relative humidity</i>	20% to 80% (non-condensing)
<b>Dimensions<sup>7</sup> (W x D x H)</b>		691 x 500 x 343 mm (27.2" x 19.7" x 13.5")
<b>Weight</b>		35 kg (77.2 lb.)
<b>Environmental compatibility</b>		EnergyStar® and RoHS <sup>8</sup>
<b>Other</b>	<i>Multi-feed detection</i>	Standard; Ultrasonic multi-feed detection sensor

## OPTIONS

<b>Black Document Pad (FI-575BK)</b> PA03338-D960	Black flatbed background pads which can be easily replaced by users.
<b>Kofax Hardware VRS Board (FI-677CGA)</b> PA03576-K001	This Fujitsu fi-Series scanner hardware option works with Kofax VRS to further speed up image processing. It comes bundled with the fi-6770A

## CONSUMABLES

<b>ScanAid kit</b> CG01000-52760	Up to 750,000 sheets or 1 year. The kit includes 3 pick rollers, 3 brake rollers, and 1 cleaning kit.
-------------------------------------	--

## BUNDLED ITEMS

<b>Hardware</b>	ADF paper chute, Stack, AC cable, USB cable, Setup DVD-ROM, Adobe® Acrobat® DVD-ROM, Getting Started, QuickScan™ Pro brochure, Operator panel overlay
<b>Software</b>	TWAIN and ISIS™ drivers, ScandAll PRO, Adobe® Acrobat®, QuickScan™ Pro (Trial), Image Processing Software Option, Kofax VRS Professional

## WARRANTY

	1 year on-site warranty. Visit <a href="http://www.fujitsu.ca/warranty/scanner/">www.fujitsu.ca/warranty/scanner/</a> for more details.
--	--

## SERVICE OPTIONS

<b>Post warranty maintenance coverage</b>	Provides post warranty remedial maintenance.
---	--

1) CGA board does not support Microsoft Windows 64 bit versions 2) Actual scanning speeds are affected by data transmission and software processing times 3) JPEG compressed figures 4) Maximum capacity varies, depending upon paper weight 5) You cannot use both SCSI and USB 2.0/1.1 interfaces at the same time 6) You cannot connect multiple computers to the scanner using each type of interface cables at the same time 7) Excluding the ADF paper chute and stacker 8) PFI Limited, a Fujitsu company, has determined that this product meets RoHS requirements (2005/95/EC) 9) The fi-6770/fi-6770A is capable of scanning the following documents that exceed A3 in length: Documents not exceeding 863 mm (34") in length at resolutions between 201 dpi and 400 dpi, and documents not exceeding 3048 mm (120") in length at resolutions between 50 dpi and 200 dpi with TWAIN and ISIS™ (Long paper scanning does not support resolutions that exceed 400 dpi.) Documents not exceeding 863 mm (34") in length at resolutions of 300 dpi or lower with VRS

Fujitsu and the Fujitsu logo are registered trademarks of Fujitsu Limited. Adobe, Acrobat, Adobe PDF logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. Kofax, VirtualReScan, Adrenaline and the "VRS VirtualReScan" logo are registered trademarks of Kofax Image Products. All the other trademarks mentioned herein are the property of their respective owners. Specifications are subject to change without notice.  
© 2008 Fujitsu Canada, Inc. All rights reserved. FCI-09.16.2008-E



THE POSSIBILITIES ARE INFINITE